



STYLISH, SAFE & DURABLE

# DELTA<sup>®</sup> Relfa Switch & Socket

2022



**SIEMENS**

## STYLISH, SAFE & DURABLE

---




***A simple yet stylish design that blends seamlessly into your interior design.***

## STYLISH & SLIM DESIGN THAT SMOOTH TO THE TOUCH



Slim 8.2mm thickness that seamlessly blends into paint or wallpaper




Angled edges with simple curved dolly for soft switching



Tapered edges for easy installation and dismantling


## EASY INSTALLATION WITH INJURY PREVENTION FEATURES



M4 screw with folded terminal suitable for 2 x 4mm<sup>2</sup> cables




Robust honeycomb integral support structure increase the strength of the bracket to prevent deflection



Anti-slip screw shoe design to prevent loosening and more reliable during installation


## RELIABLE, SAFE AND DURABLE



Reverse bridge design, can effectively reduce arcing, and improve the switch with longer service life.



IEC Certified and applicable to LED load



99.7% copper alloy bridge ensure excellent corrosion resistance and electrical / heat conductivity

## Flush Switches, White



**5TA1311-3PC01**  
10AX 1 Gang 1 Way Switch

**5TA1313-3PC01**  
10AX 1 Gang 2 Way Switch



**5TA1321-3PC01**  
10AX 2 Gang 1 Way Switch

**5TA1323-3PC01**  
10AX 2 Gang 2 Way Switch



**5TA1331-3PC01**  
10AX 3 Gang 1 Way Switch

**5TA1333-3PC01**  
10AX 3 Gang 2 Way Switch



**5TA1341-3PC01**  
10AX 4 Gang 1 Way Switch

**5TA1343-3PC01**  
10AX 4 Gang 2 Way Switch



**5TA1315-3PC01**  
10AX 1 Gang Intermediate Switch



**5TD1312-3PC01**  
10AX 1 Gang Bell Switch



**5TD1324-3PC01**  
10AX 2 Gang Press Switch (Auto Gate)

## Double Pole Switches, White



**5TA1361-3PC01**  
20A 1 Gang Double Pole Switch  
with Neon Indicator



**5TA1362-3PC01**  
32A 1 Gang Double Pole Switch  
with Neon Indicator



**5TA1363-3PC01**  
45A 1 Gang Double Pole Switch  
with Neon Indicator



**5TA1364-3PC01**  
20A 1 Gang 2 Way Double Pole Switch  
with Neon Indicator

## Socket Outlets, White




**5UB1312-3PC01**  
13A 1 Gang Single Pole Switched Socket  
with Indicator



**5UB1313-3PC01**  
13A 1 Gang Single Pole Switched Socket  
with Neon Indicator



**5UB1322-3PC01**  
13A Twin Gang Single Pole Switched  
Socket with Indicator



**5UB1323-3PC01**  
13A Twin Gang Single Pole Switched  
Socket with Neon Indicator



**5UB1336-3PC01**  
15A 1 Gang Single Pole Switched Socket  
with Indicator



**5UB1374-3PC01**  
13A 1 Gang Single Pole Switched Socket  
with 2 x 2.4A USB (Type-A)



**5UB1382-3PC01**  
13A 1 Gang International Switched Socket  
with Indicator



**5UB1388-3PC01**  
13A 1 Gang International Switched Socket  
with 1 x 2.1A USB (Type-A)

## Connection Unit, White



**5UB1361-3PC01**  
25A Connection Unit

## Telecommunication Sockets, White



**5UH1331-3PC01**  
1 Gang TV Socket



**5UH1363-3PC01**  
2 Gang RJ11 Telephone + RJ45 CAT5e Data Socket



**5UH1332-3PC01**  
1 Gang TV, F Connection Socket  
(Eg. Astro)



**5UH1335-3PC01**  
2 Gang TV + RJ45 CAT5e Data Socket



**5UH1361-3PC01**  
1 Gang RJ11 Telephone Socket



**5UH1374-3PC01**  
2 Gang TV + RJ45 CAT6 Data Socket



**5UH1364-3PC01**  
2 Gang RJ11 Telephone Socket



**5UH1336-3PC01**  
2 Gang TV + TV, F Connection Socket (Eg. Astro)



**5UH1362-3PC01**  
1 Gang RJ45 CAT5e Data Socket



**5UH1334-3PC01**  
2 Gang TV, F Connection Socket (Eg. Astro)



**5UH1371-3PC01**  
1 Gang RJ45 CAT6 Data Socket



**5UH1339-3PC01**  
3 Gang SMATV Socket (SAT+TV+FM)



**5UH1365-3PC01**  
2 Gang RJ45 CAT5e Data Socket



**5UH1372-3PC01**  
2 Gang RJ45 CAT6 Data Socket

## Accessories, White



**5UH1313-3PC01**  
1 Gang Blank Plate



**5UH0155-3NC01**  
1 Gang Weather-Shield Socket Cover,  
IP55, Transparent



Published by  
Siemens Malaysia Sdn Bhd  
Smart Infrastructure  
Electrical Products (EP)  
CP Tower, 11, Jalan 16/11  
46350 Petaling Jaya, Selangor  
Malaysia

Subject to changes and errors. The information given in this document only contains general descriptions and/or performance features which may not always specifically reflect those described, or which may undergo modification in the course of further development of the products. The requested performance features are binding only when they are expressly agreed upon in the concluded contract.

© Siemens 2022

**DELTA® Relfa Switch & Socket**